niftylift



niftylift.com

nifty 120

12.33m
40ft 6in
(A)

10.33m
34ft
(B)

5m
16ft 6in
(C)

1195kg
2630lbs

200kg
440lbs

1.1m x 0.65m
3ft 7in x 2ft 2in

1.9m
6ft 3in

1.1m
3ft 7in

1.5m
4ft 11in

2.7m
8ft 10in

5.75m
18ft 10in

D P



nifty 120T

12.2m
40ft
(A)

10.2m
33ft 6in
(B)

6.1m
20ft
(C)

1400kg
3100lbs

200kg
440lbs

1.1m x 0.65m
3ft 7in x 2ft 2in

1.9m
6ft 3in

1.1m
3ft 7in

1.5m
4ft 11in

3.55m
11ft 8in

4.5m
14ft 9in



nifty 150T

14.7m
48ft 6in
(A)

12.7m
42ft
(B)

7.55m
25ft
(C)

1775kg
3915lbs

225kg
500lbs

1.4m x 0.7m
4ft 7in x 2ft 4in

2m
6ft 7in

1.6m
5ft 3in

3.8m
12ft 6in

5.55m
18ft 3in



nifty 170

17.1m
56ft
(A)

15.1m
49ft 6in
(B)

8.7m
28ft 6in
(C)

2160kg
4760lbs

200kg
440lbs

1.1m x 0.65m
3ft 7in x 2ft 2in

2.15m
7ft

1.65m
5ft 5in

4.4m
14ft 5in

6.2m
20ft 4in



nifty 210

21m
69ft
(A)

19m
62ft 6in
(B)

12m
39ft 6in
(C)

3495kg
7700lbs

225kg
500lbs

100°

1.4m x 0.7m
4ft 7in x 2ft 4in

2.27m
7ft 5in

1.8m
5ft 11in

4.3m
14ft 1in

6.95m
22ft 10in





nifty HR12N

12.2m
40ft
(A)

10.2m
33ft 6in
(B)

6.1m
20ft
(C)

3435kg
7575lbs

200kg
440lbs

1.1m x 0.65m
3ft 7in x 2ft 2in

1.9m
6ft 3in

1.5m
4ft 11in

4.1m
13ft 5in

3.4km/h
2.1mph

4.2m
13ft 9in

25%
14°

D P LPG



nifty HR12 4x4

12.2m
40ft
(A)

10.2m
33ft 6in
(B)

6.1m
20ft
(C)

3470kg
7650lbs

200kg
440lbs

1.1m x 0.65m
3ft 7in x 2ft 2in

1.95m
6ft 5in

1.6m
5ft 3in

4.1m
13ft 5in

3.7km/h
2.2mph

3.4m
11ft 2in

30%
17°



nifty HR15N

15.5m
51ft
(A)

13.5m
44ft
(B)

9.7m
32ft
(C)

7250kg
15980lbs

225kg
500lbs

150°

180°

1.5m x 0.8m
4ft 11in x 2ft 8in

1.99m
6ft 6in

1.5m
4ft 11in

4.93m
16ft 2in

6.4m
21ft

3.5km/h
2.2mph

3.5m
11ft 6in

25%
14°

HYBRID



nifty HR15 4x4

15.7m 51ft 6in (A)	13.7m 45ft (B)	9.4m 31ft (C)	4500kg / 4800kg 9920lbs / 10580lbs
225kg 500lbs	150°	180°	1.8m x 0.85m 5ft 11in x 2ft 9in
2.1m 6ft 11in	2m 6ft 7in	4.8m 15ft 9in	6.35m 20ft 10in
6km/h 3.7mph	3.7m 12ft 2in	45% 24°	HYBRID





nifty HR17N

17m 56ft (A)	15m 49ft 6in (B)	9.7m 32ft (C)	7650kg 16870lbs
225kg 500lbs	150°	180°	1.5m x 0.8m 4ft 11in x 2ft 8in
1.99m 6ft 6in	1.5m 4ft 11in	4.93m 16ft 2in	6.4m 21ft
3.5km/h 2.2mph	3.5m 11ft 6in	25% 14°	HYBRID



nifty HR17 4x4

- 17.2m 56ft 6in (A)
- 15.2m 50ft (B)
- 9.4m 31ft (C)
- 5000kg 11020lbs
- 225kg 500lbs
- 150°
- 180°
- 1.8m x 0.85m 5ft 11in x 2ft 9in
- 2.1m 6ft 11in
- 2m 6ft 7in
- 4.8m 15ft 9in
- 6.35m 20ft 10in
- 6km/h 3.7mph
- 3.7m 12ft 2in
- 45% 24°
- HYBRID



nifty HR21 2x4

20.8m 68ft 6in (A)	18.8m 62ft (B)	12.8m 42ft (C)	6660kg 14685lbs
225kg 500lbs	150°	100°	1.8m x 0.85m 5ft 11in x 2ft 9in
2.15m 7ft	2.27m 7ft 5in	5.3m 17ft 5in	6.7m 22ft
4.5km/h 2.8mph	4m 13ft	30% 17°	



nifty HR21 4x4

20.8m 68ft 6in (A)	18.8m 62ft (B)	12.8m 42ft (C)	6660kg 14685lbs
225kg 500lbs	150°	100°	1.8m x 0.85m 5ft 11in x 2ft 9in
2.15m 7ft	2.27m 7ft 5in	5.3m 17ft 5in	6.7m 22ft
6.6km/h 4.1mph	4m 13ft	45% 24°	D



nifty HR21 AWD

20.8m 68ft 6in (A)	18.8m 62ft (B)	12.8m 42ft (C)	6660kg 14685lbs
225kg 500lbs	150°	100°	1.8m x 0.85m 5ft 11in x 2ft 9in
2.15m 7ft	2.27m 7ft 5in	5.3m 17ft 5in	6.7m 22ft
4.5km/h 2.8mph	4m 13ft	40% 22°	HYBRID



nifty HR28 4x4

28m 92ft (A)	26m 85ft 6in (B)	19m 62ft (C)	14650kg 32300lbs
280kg 620lbs	150°	180°	2.4m x 0.9m 7ft 10in x 2ft 11in
2.7m 8ft 10in	2.49m 8ft 2in	7.3m 23ft 11in	9.28m 30ft 5in
4.7km/h 3mph	5.9m 19ft 4in	40% 22°	HYBRID



nifty SD120T 4x4

12.65m
42ft
(A)

10.65m
35ft
(B)

6.1m
20ft
(C)

2260kg
4980lbs

200kg
440lbs

1.1m x 0.65m
3ft 7in x 2ft 2in

1.95m
6ft 5in

1.56m
5ft 1in

3.2m
10ft 6in

3.9m
12ft 10in

10km/h
6.2mph

3.9m
12ft 10in

45%
24°



nifty SD170 4x4

17.1m
56ft
(A)

15.1m
49ft 6in
(B)

8.7m
28ft 6in
(C)

2750kg
6000lbs

200kg
440lbs

100°

1.1m x 0.65m
3ft 7in x 2ft 2in

2.1m
6ft 11in

1.6m
5ft 3in

4.4m
14ft 5in

5.6m
18ft 4in

8.3km/h
5.2mph

5.2m
17ft

30%
17°

D P



nifty SD210 4x4x4

21.3m
70ft
(A)

19.3m
63ft 6in
(B)

12.8m
42ft
(C)

3950kg
8700lbs

225kg
500lbs

150°

100°

1.8m x 0.85m
5ft 11in x 2ft 9in

2.25m
7ft 5in

2.05m
6ft 9in

4.2m
13ft 9in

6.15m
20ft 2in

7.5km/h
4.7mph

3.5m
11ft 6in

45%
24°





nifty TD120T

12.2m
40ft
(A)

10.2m
33ft 6in
(B)

6.1m
20ft
(C)

1890kg
4170lbs

200kg
440lbs

1.1m x 0.65m
3ft 7in x 2ft 2in

1.9m
6ft 3in

1.1m
3ft 7in

3.55m
11ft 8in

3.95m
13ft

1.6km/h
1mph

60%
31°



nifty TD150T

14.7m
48ft 6in
(A)

12.7m
42ft
(B)

7.55m
25ft
(C)

2025kg
4500lbs

225kg
500lbs

1.4m x 0.7m
4ft 7in x 2ft 4in

2m
6ft 7in

1.4m
4ft 7in

3.8m
12ft 6in

4.7m
15ft 5in

2.1km/h
1.3mph

45%
24°



1.

2.

	Nifty 120M	Nifty 120T	Nifty 150T	Nifty 170	Nifty 210
1. [kN]	8.21	9.42	11.77	13.89	21.9
2. [kN/m²]	450	290	375	257	322

	SD120T 4x4	SD170 4x4	SD210 4x4x4	TD120T	TD150T
1. [kN]	14.48	17.36	24.57	12.30	13.24
2. [kN/m²]	446	345	440	379	421

1.

2.

	HR12N	HR12 4x4	HR15N	HR15 4x4	HR15 Hybrid	HR17N
1. [kN]	21.4	21.6	44	27.81	29.58	46.35
2. [kN/m²]	559	429	1294	752	799	1363

	HR17 4x4	HR17 Hybrid	HR21 2x4	HR21 4x4	HR21 Hybrid	HR28 Hybrid
1. [kN]	30.75	30.75	40.53	40.53	40.53	87.88
2. [kN/m²]	831	831	1095	1095	1095	1294

niftylift

Niftylift Ltd

Chalkdell Drive, Shenley Wood,
Milton Keynes, MK5 6GF

☎ +44 (0)1908 223456

info@niftylift.com

www.niftylift.com

THE QUEEN'S AWARDS FOR ENTERPRISE INTERNATIONAL TRADE 2013

THE QUEEN'S AWARDS FOR ENTERPRISE INNOVATION 2013

Sales
Rental
Service

HELI.be

Vantegemstraat 9 | B-9230 Wetteren | +32 9 368 80 80 | info@heli.be

All specifications are as guideline only and were correct at time of printing. Those shown in white indicate a standard feature, grey indicates an option. Niftylift reserves the right to change any specification without notice. Weights stated are minimums and vary according to options, please confirm before ordering.

niftylift.com